

October 1, 2025

Dear Owner/Manager:

Enclosed please find the revised Hampton Roads Sanitation District (HRSD) Best Management Practice (BMP) for Alcohol Beverage Manufacturing, which is effective as of October 1, 2025 and replaces all previous versions. It is being delivered in accordance with the HRSD Industrial Wastewater Discharge Regulations and is applicable to all facilities discharging alcohol beverage manufacturing wastewater into the HRSD sewerage system.

Please note an addition to Section 2: Prohibited Discharges of the BMP outlining that condensate discharging to the sanitary sewer is prohibited unless otherwise approved by the Pretreatment and Pollution Prevention (P3) Department Condensate Policy. Condensate approved to discharge to the sanitary sewer by the P3 Department will be billed on the annual wastewater volume using the current wastewater treatment rate found in HRSD's Rate Schedule. Both the P3 Department Condensate Policy and HRSD Rate Schedule can be found at www.hrsd.com.

Should you have any questions, please feel free to contact the corresponding inspector:

South Shore Office
Ms. Amanda Albright
(757) 460-7024
aalbright@hrsd.com

North Shore Office
Ms. Angela Kilgore
(757) 460-7042
akilgore@hrsd.com

Sincerely,



Michael Martin
Director of Pretreatment & Pollution Prevention